COLLER DIMENSIONS:		REQUEST ORDER:	2509					SITE CONTACT NAME:	Jason Hilton				Are you	
		DISTRIBUTOR:	QCS					SITE NUMBER:					Do you	
		SITE:	Holcim Cement Holly Hill SC			ROLL PERFORMANCE INTEREST:					lf yes, v			
		CONVEYOR NUMBER:	Quarry					WEAR LIFE WEIGHT POWER CONSUMPTION					ISE	
		ROLL MANUFACTURER:												
		FRAME MANUFACTURER:										⊡ co	RROSION	
		BELT WIDTH:	IN.	48	MM			ROLL LOCATION: (Select one)						
		BELT SPEED:	ELT SPEED:					O EQUAL TROUGH O CENTER TROUGH O WING				ING TROUG	н	
		TONS PER HOUR:	HOUR:					ROLL CEMA RATING: (Select one)			OD () e ()		
INCHES	MILLIMETERS	_	(2) (1)			FRAME TROUGHING ANGLE: (Select one)					% () (
1 23-9/16							C Less than		Between -22°F (-3					
2							ROLLER OPERATING TEMPERATURE	RANGE	-22°F (-30°C) and 140					
3 26-9/16			°(5)			SPACING BETWEEN FRAMES								
4	30							MATERIAL CONVEYED limestone						
5 5		∞(4)]		LENGTH OF TRIAL/TEST				R	OLL QUANT	

