



REQUEST ORDER:	2664	SITE CONTACT NAME:	Jason Betzler	Are you sending in a roll for measurement?	<input type="radio"/> Yes <input checked="" type="radio"/> No																		
DISTRIBUTOR:	QCS - VaMN	SITE NUMBER:	Silver Bay	Do you need rolls back?	<input type="radio"/> Yes <input type="radio"/> No																		
SITE:	North Shore Mine - Silver Bay	ROLL PERFORMANCE INTEREST:	If yes, where?																				
CONVEYOR NUMBER:		<input checked="" type="checkbox"/> WEAR LIFE	<input type="checkbox"/> NOISE																				
ROLL MANUFACTURER:		<input checked="" type="checkbox"/> WEIGHT	<input type="checkbox"/> RECYCLABILITY																				
FRAME MANUFACTURER:		<input type="checkbox"/> POWER CONSUMPTION	<input checked="" type="checkbox"/> CORROSION																				
BELT WIDTH:	IN. <input type="text"/> MM <input type="text"/>	ROLL LOCATION: (Select one)																					
BELT SPEED:		<input type="radio"/> EQUAL TROUGH <input type="radio"/> CENTER TROUGH <input type="radio"/> WING TROUGH <input checked="" type="radio"/> FLAT RETURN <input type="radio"/> VEE RETURN																					
TONS PER HOUR:		ROLL CEMA RATING: (Select one)		<input type="radio"/> B <input type="radio"/> C <input type="radio"/> D <input checked="" type="radio"/> E <input type="radio"/> F																			
ROLLER DIMENSIONS: <table border="1"> <thead> <tr> <th></th> <th>INCHES</th> <th>MILLIMETERS</th> </tr> </thead> <tbody> <tr><td>1</td><td>38.625</td><td>981.075</td></tr> <tr><td>2</td><td>39.000</td><td>990.6</td></tr> <tr><td>3</td><td>39.875</td><td>1012.825</td></tr> <tr><td>4</td><td>.729</td><td>18.5166</td></tr> <tr><td>5</td><td>6.00</td><td>152.4</td></tr> </tbody> </table>			INCHES	MILLIMETERS	1	38.625	981.075	2	39.000	990.6	3	39.875	1012.825	4	.729	18.5166	5	6.00	152.4	FRAME TROUGHING ANGLE: (Select one) <input type="radio"/> 20% <input type="radio"/> 35% <input type="radio"/> 45% <input type="radio"/> OTHER		ROLLER OPERATING TEMPERATURE RANGE <input type="radio"/> Less than -22°F (-30°C) <input type="radio"/> Between -22°F (-30°C) and 140°F (60°C) <input type="radio"/> Above 140°F (60°C)	
			INCHES	MILLIMETERS																			
		1	38.625	981.075																			
2	39.000	990.6																					
3	39.875	1012.825																					
4	.729	18.5166																					
5	6.00	152.4																					
SPACING BETWEEN FRAMES: 48"		MATERIAL CONVEYED: Taconite		LENGTH OF TRIAL/TEST: <input type="text"/> ROLL QUANTITY: 100																			

SHAFT END DETAILS—TYPE: (Select one)																				
<input checked="" type="radio"/> A <input type="radio"/> B <input type="radio"/> C <input type="radio"/> D <input type="radio"/> F <input type="radio"/> G <input type="radio"/> H <input type="radio"/> J <input type="radio"/> K <input type="radio"/> L																				
<table border="1"> <thead> <tr> <th>DIMENSIONS</th> <th>INCHES</th> <th>MILLIMETERS</th> </tr> </thead> <tbody> <tr><td>F</td><td>.325</td><td>8.255</td></tr> <tr><td>G</td><td>.116</td><td>2.9464</td></tr> <tr><td>H</td><td>1.087</td><td>27.6098</td></tr> <tr><td>I</td><td>1.232</td><td>31.2928</td></tr> <tr><td>J</td><td>.736</td><td>18.6944</td></tr> </tbody> </table>			DIMENSIONS	INCHES	MILLIMETERS	F	.325	8.255	G	.116	2.9464	H	1.087	27.6098	I	1.232	31.2928	J	.736	18.6944
DIMENSIONS	INCHES	MILLIMETERS																		
F	.325	8.255																		
G	.116	2.9464																		
H	1.087	27.6098																		
I	1.232	31.2928																		
J	.736	18.6944																		
<p><b>TYPE—A</b></p>	<p><b>TYPE—D</b></p>	<p><b>TYPE—J</b></p>																		
<p><b>TYPE—F</b></p>	<p><b>TYPE—K</b></p>																			
<p><b>TYPE—B</b></p>	<p><b>TYPE—G</b></p>	<p><b>TYPE—L</b></p>																		
<p><b>TYPE—C</b></p>	<p><b>TYPE—H</b></p>	NOTES																		