



REQUEST ORDER:	2666	SITE CONTACT NAME:	Jason Betzler	Are you sending in a roll for measurement?	<input type="radio"/> Yes <input type="radio"/> No																		
DISTRIBUTOR:	QCS - VaMN	SITE NUMBER:	Silver Bay	Do you need rolls back?	<input type="radio"/> Yes <input type="radio"/> No																		
SITE:	NSM - Silver Bay	ROLL PERFORMANCE INTEREST:	If yes, where?																				
CONVEYOR NUMBER:		<input checked="" type="checkbox"/> WEAR LIFE	<input type="checkbox"/> NOISE																				
ROLL MANUFACTURER:		<input checked="" type="checkbox"/> WEIGHT	<input type="checkbox"/> RECYCLABILITY																				
FRAME MANUFACTURER:		<input type="checkbox"/> POWER CONSUMPTION	<input checked="" type="checkbox"/> CORROSION																				
BELT WIDTH:	IN. <input type="text"/> MM <input type="text"/>	ROLL LOCATION: (Select one)																					
BELT SPEED:		<input type="radio"/> EQUAL TROUGH <input type="radio"/> CENTER TROUGH <input type="radio"/> WING TROUGH <input checked="" type="radio"/> FLAT RETURN <input type="radio"/> VEE RETURN																					
TONS PER HOUR:		ROLL CEMA RATING: (Select one)																					
ROLLER DIMENSIONS: <table border="1"> <thead> <tr> <th></th> <th>INCHES</th> <th>MILLIMETERS</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>50.625</td> <td>1285.875</td> </tr> <tr> <td>2</td> <td>50.875</td> <td>1292.225</td> </tr> <tr> <td>3</td> <td>51.9375</td> <td>1319.2155</td> </tr> <tr> <td>4</td> <td>.729</td> <td>18.5166</td> </tr> <tr> <td>5</td> <td>6.00</td> <td>152.4</td> </tr> </tbody> </table>			INCHES	MILLIMETERS	1	50.625	1285.875	2	50.875	1292.225	3	51.9375	1319.2155	4	.729	18.5166	5	6.00	152.4				
			INCHES	MILLIMETERS																			
		1	50.625	1285.875																			
2	50.875	1292.225																					
3	51.9375	1319.2155																					
4	.729	18.5166																					
5	6.00	152.4																					
FRAME TROUGHING ANGLE: (Select one)				<input type="radio"/> 20% <input type="radio"/> 35% <input type="radio"/> 45% <input type="radio"/> OTHER																			
ROLLER OPERATING TEMPERATURE RANGE				<input type="radio"/> Less than -22°F (-30°C) <input checked="" type="radio"/> Between -22°F (-30°C) and 140°F (60°C) <input type="radio"/> Above 140°F (60°C)																			
SPACING BETWEEN FRAMES			48"																				
MATERIAL CONVEYED			TACONITE																				
LENGTH OF TRIAL/TEST			ROLL QUANTITY	100																			

SHAFT END DETAILS—TYPE: (Select one)																				
<input checked="" type="radio"/> A <input type="radio"/> B <input type="radio"/> C <input type="radio"/> D <input type="radio"/> F <input type="radio"/> G <input type="radio"/> H <input type="radio"/> J <input type="radio"/> K <input type="radio"/> L																				
<table border="1"> <thead> <tr> <th>DIMENSIONS</th> <th>INCHES</th> <th>MILLIMETERS</th> </tr> </thead> <tbody> <tr> <td>F</td> <td>.325</td> <td>8.255</td> </tr> <tr> <td>G</td> <td>.116</td> <td>2.9464</td> </tr> <tr> <td>H</td> <td>1.087</td> <td>27.6098</td> </tr> <tr> <td>I</td> <td>1.232</td> <td>31.2928</td> </tr> <tr> <td>J</td> <td>.736</td> <td>18.6944</td> </tr> </tbody> </table>			DIMENSIONS	INCHES	MILLIMETERS	F	.325	8.255	G	.116	2.9464	H	1.087	27.6098	I	1.232	31.2928	J	.736	18.6944
DIMENSIONS	INCHES	MILLIMETERS																		
F	.325	8.255																		
G	.116	2.9464																		
H	1.087	27.6098																		
I	1.232	31.2928																		
J	.736	18.6944																		
<p>TYPE—A</p>	<p>TYPE—D</p>	<p>TYPE—J</p>																		
<p>TYPE—F</p>	<p>TYPE—K</p>	<p>TYPE—L</p>																		
<p>TYPE—B</p> <p>Note interior hex</p>	<p>TYPE—G</p>	<p>TYPE—L</p> <p>Note interior round</p>																		
<p>TYPE—C</p> <p>G THREAD</p>	<p>TYPE—H</p>	NOTES																		